
BIR-HM133-TRB

Features:

- 1. Lens Appearance: Water Clear.
- 2. 3.2x1.6x1.1mm(1206) standard package.
- 3. Suitable for all SMT assembly methods.
- Compatible with infrared and vapor phase reflow solder process.
- 5. Compatible with automatic placement equipment.
- This product doesn't contain restriction Substance, comply ROHS standard.



Applications:

- 1. Automatic Control System
- 2. Photo interrupter

NOTES:

- 1.All dimensions are in millimeters.
- 2. Tolerance is ±0.10mm unless otherwise specified.
- 3. Specifications are subject to change without notice.

lacktriangle Absolute Maximum Ratings(Ta=25 $^{\circ}$ C)

Parameter	Symbol	Rating	Unit
Power Dissipation	Pd	100	mW
Forward Current	I _F	50	mA
Peak Forward Current *1	I _{FP}	500	mA
Reverse Volage	V_R	5	V
Operating Temperature	Topr	-40°C ~85°C	-
Storage Temperature	Tstg	-40°C ~85°C	-
Soldering Temperature	Tsol	See Page6	-

^{*1} Pulse With = 10us, 1% Duty Cycle





BIR-HM133-TRB


■ Electrical and optical characteristics(Ta=25°C)


Parameter	Symbol	Condition	Min.	Тур.	Max.	Unit
Radiant Intensity	Po	I _F =50mA	0.92	1.83	-	mw/sr
Forward Voltage	V_{F}	I _F =50mA	-	1.24	-	V
Reverse Current	I_R	V _R =5V	-	-	100	μΑ
Peak Wave Length	λр	I _F =50mA	-	940	-	nm
Veiwing Angle	2θ _{1/2}	I _F =50mA	-	120	-	deg


Typical Electro-Optical Characteristics Curves


















Tapping and packaging specifications(Units: mm)Quantity:3000PCS



Package Method:(unit:mm) Vacuum





Bin Limits

Intensity Bin Limits (At50mA)


BIN CODE	Min. (mW/sr)	Max. (mW/sr)
4	0.92	1.30
5	1.30	1.83
6	1.83	2.57
7	2.57	3.60

Tolerance for each Bin limit is ± 15%.



● BIN: X

Intensity BIN CODE





Reliability Test

Classification	Test Item	Reference Standard	Test Conditions	Result
Endurance Si Test H Te Si Lo	Operation Life	MIL-STD-750D:1026 MIL-STD-883D:1005 JIS-C-7021 :B-1	Ta: Under room temperature Test time:1,000hrs IF=Product Recommended IF	0/32
	High Temperature High Humidity Storage	MIL-STD-202F:103B JIS-C-7021 :B-11	Ta:85±5°C RH:90%-95% Test time:240hrs	0/32
	High Temperature Storage	MIL-STD-883:1008 JIS-C-7021 :B-10	Ta:100±5℃ Test time:1,000hrs	0/32
	Low Temperature Storage	JIS-C-7021 :B-11	Ta: -45±5°C Test time=1,000hrs	0/32
Environmental Test	Temperature Cycling	MIL-STD-202F:107D MIL-STD-750D:1051 MIL-STD-883D:1010 JIS-C-7021 :A-2	Ta:-35±5°C ~25±5°C ~85±5°C ~25±5°C 30min 5min 30min 5min Time: 5cycles	0/32
	Thermal Shock	MIL-STD-202F:107D(1980) MIL-STD-750D:1051(95) MIL-STD-883D:1011(1 991)	Ta:-45±5°C ~+85±5°C 20min 20 min Time: 10cycles	0/32
	Wetting balance	MIL-STD-883:2003 MIL-STD-202F:208D MIL-STD-883D:2003	Ta:230±5°C Time:5±0.5s	0/32
	Solder Resistance	MIL-STD-202F:210A MIL-STD-883D:1011 JIS-C-7021 :A-1	Ta:260±10℃ Time:10±1s	0/32

Judgment criteria of failure for the reliability


Measuring items	Symbol	Measuring conditions	Judgement criteria for failure
Forward voltage	V _F (V)	I _F =50mA	Initial Level*1.1
Reverse current	I _R (uA)	V _R =5V	Over U*2
Luminous intensity	Iv (mcd)	I _F =50mA	Initial Level*0.7

Note: 1.U means the upper limit of specified characteristics.

2.Measurment shall be taken between 2 hours and after the test pieces have been returned to normal ambient conditions after completion of each test.



IR-Reflow Soldering



Profile Feature	Symbol	Pb	-Free (SnAgCu) Ass	ee (SnAgCu) Assembly	
		Minimum	Recommendation	Maximum	
Ramp-up rate to preheat") 25 °C to 150 °C			2	3	K/s
Time t _s T _{Smin} to T _{Smax}	t _s	60	100	120	s
Ramp-up rate to peak ^{*)} T _{Smax} to T _P			2	3	K/s
Liquidus temperature	T _L		217		°C
Time above liquidus temperature	t		80	100	s
Peak temperature	T _P		245	260	°C
Time within 5 °C of the specified peak temperature T _P - 5 K	t _P	10	20	30	s
Ramp-down rate* T _P to 100 °C			3	6	K/s
Time 25 °C to T _P				480	s

* slope calculation DT/Dt: Dt max. 5 s; fulfillment for the whole T-range

- 1. Avoid any external stress applied to the resin while the LEDs are at high temperature, especially during soldering.
- 2. Avoid rapid cooling or any excess vibration during temperature ramp-down process.
- Although the soldering condition is recommended above, soldering at the lowest possible temperature is feasible for the LEDs.

IRON Soldering

350℃ Within 3 sec.,One time only.



Notes for designing:

Care must be taken to provide the current limiting resistor in the circuit so as to drive the LEDs within the rated figures. Also, caution should be taken not to overload LEDs with instantaneous voltage at the turning ON and OFF of the circuit.

When using the pulse drive care must be taken to keep the average current within the rated figures. Also, the circuit should be designed so as be subjected to reverse voltage when turning off the LEDs.

Storage:

In order to avoid the absorption of moisture, it is recommended to solder LEDs as soon as possible after unpacking the sealed envelope.

If the envelope is still packed, to store it in the environment as following:

- (1) Temperature : 5°C-30°C (41°F) Humidity : RH 60% Max.
- (2) After this bag is opened, devices that will be applied to infrared reflow, vapor-phase reflow, or equivalent soldering process must be:
- a. Completed within 168 hours.
- b. Stored at less than 30% RH.
- (3) Devices require baking before mounting, if: (2) a or (2) b is not met.
- (4) If baking is required, devices must be baked under below conditions: 48 hours at 60°C±3°C.

Package and Label of Products:

- (1) Package: Products are packed in one bag of 3000 pcs (one taping reel) and a label is attached on each bag.
- (2) Label:

